

FIGURE 1a




FIGURE 1b





FIGURE 2

FIGURE 3









FIGURE 6

600 ↗



I

| | | | |
|---|---|---|---|
| R | G | R | G |
| G | B | G | B |
| R | R | R | G |
| G | B | G | B |



II

| | | | |
|---|---|---|---|
| R | R | R | R |
| R | R | R | R |
| R | R | R | R |
| R | R | R | R |

| | | | |
|---|---|---|---|
| G | G | G | G |
| G | G | G | G |
| G | G | G | G |
| G | G | G | G |



III

| | | | |
|---|---|---|---|
| R | G | R | G |
| G | B | G | B |
| R | R | R | G |
| G | B | G | B |



IV

| | | | |
|---|---|---|---|
| R | R | R | R |
| R | R | R | R |
| R | R | R | R |
| R | R | R | R |

| | | | |
|---|---|---|---|
| G | G | G | G |
| G | G | G | G |
| G | G | G | G |
| G | G | G | G |

Original
Bayer
Data

| | | | |
|---|---|---|---|
| B | B | B | B |
| B | B | B | B |
| B | B | B | B |
| B | B | B | B |

RGB
Data

Extracted
Bayer
Data

| | | | |
|---|---|---|---|
| B | B | B | B |
| B | B | B | B |
| B | B | B | B |
| B | B | B | B |

EXTERNAL-Device
Produced RGB
Data

700 ↗

FIGURE 7

FIGURE 8

800




Figure 9

900

